



KING ETHELRED'S COLLEGE OF ENGINEERING

Established in 978 (ish)

DEPARTMENT OF MATERIALS ENGINEERING,
BEVERAGE DYNAMICS AND APPLIED CRUMB MECHANICS

STRUCTURAL PERFORMANCE OF THE RICH TEA BISCUIT UNDER REPEATED DUNKING

An experimental investigation into capillary infiltration, flexural degradation and catastrophic beverage-assisted failure



A departmental research thesis prepared under the College Fellowship Ordinance
(Tea-Room Materials) 1907

JEMIMAH C. P. FEATHERSTONEHAUGH

M.Eng. (Hons.), Ph.D. (King Ethelred's)

Research Fellow in Applied Materials, Beverage Dynamics & Biscuit Integrity



ABSTRACT

The Rich Tea biscuit is widely deployed throughout British domestic, commercial and institutional tea-drinking environments, yet its wet-state structural performance remains poorly governed. This study treats dunking as a transient hydro-mechanical loading problem in a porous, brittle, starch-based composite. Capillary liquid uptake, moisture-induced loss of stiffness, repeated immersion, transfer delay and operator behaviour are examined using established capillary theory, published biscuit-mechanics literature and a fictional but physically plausible King Ethelred's test series. The results show that liquid uptake initially follows the square-root-of-time behaviour expected from Lucas-Washburn type imbibition, while residual bending strength falls strongly as the biscuit matrix becomes wetter. Repeated short dunks are therefore not independent events: each successful cycle consumes part of the remaining structural margin. A narrow operating region exists in which sufficient tea is absorbed to achieve the intended sensory effect without making cup-to-mouth transfer unacceptably adventurous. This region is defined here as the **Optimal Dunking Envelope**. The principal practical finding is that Rich Tea is not a badly engineered biscuit; it is a lightly built structure frequently operated by the public beyond its wet-state design envelope. The study recommends controlled immersion, prompt transfer, and immediate cessation of operations at the first sign of edge delamination. A third dunk may be attempted only with appropriate risk ownership and preferably not while wearing a white shirt.

Research status. This is a fictional King Ethelred's College thesis. The underlying physics - capillary imbibition, moisture-dependent biscuit stiffness and three-point bending behaviour - is real and referenced. The numerical 'College test series' is synthetic, constructed to be physically plausible rather than represented as measurements actually performed in a laboratory.

Keywords: Rich Tea; biscuit mechanics; dunking; capillary imbibition; Lucas-Washburn; fracture; moisture; tea; structural integrity; crumbs.

ACKNOWLEDGEMENTS

The author wishes to thank Mrs Enid Partridge of the Senior Common Room for repeatedly making tea to specification, despite expressing the entirely reasonable view that the project had 'gone too far'.

The College Catering Office supplied the reference biscuits and is thanked for maintaining batch traceability. Its substitution of Digestives during Week Four was not authorised, constituted an uncontrolled change of material system, and remains the subject of a short but increasingly formal correspondence.

The Department of Civil Engineering provided access to a 50 N load cell after being assured that no bridge work would be delayed. The Department later asked why the load cell smelled faintly of Assam.

Finally, the author acknowledges the generations of British tea drinkers whose undocumented experiments established the practical observation that a biscuit which survives one dunk may nevertheless be quite certain that it can survive another.

Statement on nomenclature. Throughout this thesis the term *biscuit* is used in its British sense. The College has no jurisdiction over American biscuits, which appear to be scones involved in a constitutional misunderstanding.

CONTENTS

Summary and abstract	i
Acknowledgements	ii
Nomenclature	iv
1 Introduction	1
2 The Rich Tea as a porous composite	3
3 Physics of dunking	6
4 Experimental programme	9
5 Single-dunk behaviour	12
6 Repeated immersion and structural fatigue	15
7 Transfer phase and human factors	18
8 Tea variables: temperature, milk and sugar	21
9 Failure classification and the Optimal Dunking Envelope	23
10 Procurement and comparative biscuit notes	26
11 Conclusions	28
References	30
Appendices	32

NOMENCLATURE

L	liquid penetration distance
t	immersion time
gamma	liquid surface tension
mu	dynamic viscosity
r	effective capillary radius
theta	wetting contact angle
F_{dry}	dry failure load
F_{wet}	post-dunk failure load
D_s	Dunk Survivability Ratio = F_{wet} / F_{dry}
ODE	Optimal Dunking Envelope
CTM	cup-to-mouth transfer
Mode IV	total submersion event
SRO	spoon recovery operation

1 INTRODUCTION

1.1 Background

Dunking a biscuit in tea is often treated as a matter of taste. From the point of view of materials engineering it is a coupled fluid-transport and fracture problem performed manually, without instrumentation, by an operator whose principal feedback mechanism is optimism. The Rich Tea is a particularly useful specimen because its low mass, open crumb structure and limited structural redundancy make the transition from crispness to collapse unusually visible.

The problem is not wholly frivolous. Semi-sweet biscuits have been the subject of real mechanical testing because moisture uptake alters their Young's modulus, fracture stress and strain. Published work on 'rich tea' type biscuits has used three-point bending and moisture conditioning to quantify cracking behaviour. Separately, biscuit dunking has been discussed using the Washburn description of capillary flow. The College therefore concludes that the subject is sufficiently respectable to justify apparatus, provided nobody tells Finance what the apparatus cost.

A standard McVitie's Rich Tea biscuit is listed by a major UK retailer at approximately 8.3 g, with a flour-sugar-fat matrix and chemical raising agents. These ingredients produce a porous baked structure which is stiff when dry but mechanically sensitive to water uptake. The operational consequence is familiar: a perfectly serviceable biscuit can become a suspended civil-engineering problem in a matter of seconds.

1.2 Research questions

1. How rapidly does tea infiltrate a Rich Tea biscuit during immersion?
2. How does wetting reduce residual flexural strength?
3. Does repeated short dunking accumulate damage even where each individual dunk appears successful?
4. How important is the delay between withdrawal and consumption?
5. Can a practical operating envelope be defined for safe civilian dunking?

College hypothesis. The most dangerous phrase in biscuit engineering is not 'I dropped it'; it is 'one more dunk'.

2 THE RICH TEA AS A POROUS COMPOSITE

2.1 Structure and ingredients

A semi-sweet biscuit may be treated, at first approximation, as a porous composite consisting of a baked cereal matrix containing starch, proteins, sugars, fat and entrained gas voids. Its apparent simplicity conceals a heterogeneous microstructure. During baking, gas generation and moisture loss create a network of pores and microcracks. The finished biscuit therefore combines the admirable properties of low density and pleasant snap with the less admirable property of providing tea with several thousand convenient ways in.

When dry, the glassy carbohydrate-rich matrix carries load efficiently enough for handling and biting. Increasing moisture plasticises this matrix. Published mechanical studies of semi-sweet or 'rich tea' biscuits report a substantial fall in bending modulus and failure stress as moisture content rises, with failure strain tending to increase. In less technical language, the biscuit becomes softer, weaker and more willing to bend immediately before doing something regrettable.

The Rich Tea's circular geometry is helpful for packaging but awkward for wet transfer. When held at one edge after partial immersion, the soaked region acts as a weakened cantilever attached to a relatively dry grip region. Gravity then supplies the final peer review.

King Ethelred's Wet Biscuit Failure Classification




Figure 2.1 - King Ethelred's Wet Biscuit Failure Classification. Mode V is technically a recovery operation rather than a material failure, but the distinction offers little comfort to the tea.

3 PHYSICS OF DUNKING

3.1 Capillary infiltration

Liquid enters the biscuit primarily by capillary action through its connected pore network. The classical Lucas-Washburn treatment for a wetting liquid in an ideal capillary predicts that penetration distance squared is proportional to time. In compact form: $L^2 = (\gamma r \cos(\theta) / 2 \mu) t$. Real biscuits are not bundles of perfect tubes, but the square-root-of-time scaling is still a useful early-time model for spontaneous imbibition in porous materials.

The model makes an immediately useful prediction. Reducing liquid viscosity increases the rate of infiltration. Hot tea is less viscous than cold water, so a hot dunk can progress more rapidly even if the operator insists that 'it was only in for a second'. The clock is not impressed by intent.

As liquid uptake advances, capillary suction is progressively opposed by saturation effects, tortuosity, trapped air and finite geometry. Accordingly, the early square-root relationship is expected to flatten as the biscuit approaches a more uniformly wetted state. Fortunately, catastrophic structural failure generally arrives before complete scientific satisfaction.




Figure 3.1 - Synthetic King Ethelred's mass-uptake series, constructed to show the expected early square-root-of-time behaviour. Values are illustrative, not laboratory measurements.

3.2 Moisture and mechanical degradation

Moisture affects biscuit mechanics through plasticisation and local loss of stiffness. Experimental literature on semi-sweet biscuits shows that both Young's modulus and fracture stress decrease strongly with increasing moisture content. This is the key coupling between fluid transport and structural performance: the tea does not merely make the biscuit heavier; it simultaneously makes the load-bearing matrix weaker.

The relevant field problem is therefore transient. Immediately after immersion the wet front is non-uniform. The immersed edge becomes compliant first, while the upper portion remains relatively dry. Stress concentrations develop around the boundary between the two. On withdrawal, self-weight, hand acceleration and any rotational flourish applied by the operator are carried by a structure whose stiffness is changing from one millimetre to the next.

A useful dimensionless operational metric is the **Dunk Survivability Ratio**, $D_s = F_{\text{wet}} / F_{\text{dry}}$. The College recommends that values below approximately 0.35 be treated as 'administratively brave'. This threshold is not a universal material constant; it is an engineering decision boundary used in the synthetic test series.




Figure 3.2 - Illustrative residual flexural strength following a single immersion. The rapid fall captures the moisture sensitivity reported in published semi-sweet biscuit mechanics.

4 EXPERIMENTAL PROGRAMME

4.1 Test philosophy

The fictional College programme is designed as a controlled engineering study rather than an attempt to identify the personally preferred dunk. The latter question has destroyed otherwise cordial departments. The protocol isolates dwell time, temperature, number of cycles and transfer delay while holding biscuit orientation, immersion depth and nominal tea composition constant.

Reference specimens are conditioned dry and weighed before testing. Each specimen is immersed to 55% of its diameter, withdrawn vertically and either transferred to a three-point bend fixture or carried across a fixed 250 mm cup-to-mouth path. The distance was selected after measurement of several members of staff and one extremely patient porter.

The numerical results presented in Chapters 5-9 are synthetic. They are constrained to follow known capillary and moisture-mechanics behaviour but are not claimed as actual measurements. This distinction is important. The College has standards, albeit several of them concern saucer dimensions.




Figure 4.1 - Sir Joseph Whitworth Mk IV Automated Biscuit Immersion Rig. The emergency teaspoon is shown in its fully deployed standby position.

4.2 Test matrix

Variable	Levels / condition
Biscuit	Standard Rich Tea, nominal 8.3 g
Dwell time	0.5, 1, 2, 3, 5, 8 and 10 s
Tea temperature	20, 40, 60, 80 and 90 deg C
Repeated cycle dwell	1.5 s per dunk
Inter-dunk drain	3 s
Transfer distance	250 mm
Transfer delay	0-4 s
Milk	none / small addition
Sugar	none / 1 tsp equivalent

Excluded materials. Hobnobs were not included in the primary campaign because their substantially more robust structure would require a different load cell and might encourage overconfidence. Jaffa Cakes were excluded after Legal confirmed, wearily, that they are cakes.

5 SINGLE-DUNK BEHAVIOUR

5.1 Uptake and residual strength

The synthetic series shows the expected two-stage response. Liquid uptake is rapid at first as dry pores draw in tea; the rate then diminishes as saturation progresses. Structural strength, however, does not decline politely in proportion to time. Once a sufficiently large fraction of the load path is wetted, residual strength collapses rapidly.

This explains the familiar domestic observation that a Rich Tea can appear entirely respectable at withdrawal and then fail during the short journey to the mouth. The damage state is not always obvious at the surface. Engineering judgement based solely on colour change is therefore discouraged, especially after the second dunk.

For the illustrative material model used here, immersion beyond roughly three seconds moves the specimen towards a region where modest handling acceleration can exceed the remaining margin. Five seconds is still perfectly possible, in the same sense that many avoidable things are possible.




Figure 5.1 - Residual flexural strength against dwell time. The dashed line marks the College's practical transfer threshold, not a fundamental law of nature.

5.2 Failure morphology

Mode I failures consist primarily of crumb shedding and small edge losses. These are cosmetically disappointing but normally compatible with continued service. Mode II edge delamination indicates that the wet region has begun to separate from the dry load path. At this stage further immersion is classified as discretionary expenditure.

Mode III mid-span fracture is the classic cup-to-mouth failure. A substantial portion of biscuit detaches while the operator retains a dry semicircular handle and an expression of betrayal. Mode IV total submersion occurs when the remaining fragment falls wholly into the beverage. The event creates both a structural loss and a secondary contamination problem.

Mode V, Spoon Recovery Operation, follows when the operator attempts to retrieve the submerged debris. The recovered material is rarely restored to biscuit status. It is better described as sweetened dredging spoil.

Operational note. A teaspoon is recovery equipment. It is not redundancy.

6 REPEATED IMMERSION AND STRUCTURAL FATIGUE

6.1 The fallacy of independent dunks

Repeated dunking is often performed as if each immersion begins with a fresh biscuit. It does not. The first cycle leaves behind absorbed liquid, local softening and an enlarged wet front. Subsequent cycles therefore start from a degraded state. The appropriate analogy is cumulative damage, not repeated first use.

The synthetic 1.5 s cycle series shows a progressively accelerating reduction in residual strength. The second successful retrieval is thus not evidence that the third is safe; it is evidence that the biscuit has already survived two damaging events. This distinction is routinely missed by operators with several decades of tea-drinking experience.

The College has named this behavioural-material mismatch the **Featherstonehaugh Paradox**: confidence increases with the number of successful dunks while the remaining structural margin decreases.




Figure 6.1 - Cumulative loss of strength under repeated 1.5 s dunk cycles.




Figure 6.2 - The Featherstonehaugh Paradox. The curves cross at approximately the point an experienced operator says, "It will take one more."

7 TRANSFER PHASE AND HUMAN FACTORS

7.1 Cup exit is not mission completion

The instant at which the biscuit leaves the tea is frequently celebrated too early. Liquid continues to redistribute through the porous matrix during transfer. Gravity acts continuously, and the wet section may creep or sag while the operator moves the biscuit through an arc towards the mouth. The transfer phase is therefore a live structural event.

A slow, admiring pause above the cup is particularly unhelpful. It combines increasing moisture equalisation with sustained bending under self-weight. The present model predicts a monotonic reduction in transfer survival as delay increases. The recommended engineering response is not panic, but decisiveness.

Rotational flourishes should be avoided. There is no demonstrated aerodynamic advantage to twisting a saturated Rich Tea through ninety degrees before consumption.




Figure 7.1 - Illustrative transfer survival against delay after withdrawal. In biscuit mechanics, contemplation is not always a virtue.

7.2 Human factors

Human reliability is a major uncertainty. Experienced tea drinkers often possess excellent practical intuition but may also exhibit familiarity bias, survivorship bias and a belief that a biscuit which has behaved itself for forty years will continue to do so indefinitely. The biscuit has not signed such an agreement.

Risk tolerance also changes with clothing. Operators wearing dark jumpers exhibit measurably greater willingness to attempt a marginal third dunk in informal observation. White-shirt operations should therefore adopt a lower threshold. The College has not pursued the corresponding effect of silk ties because the Bursar refused the dry-cleaning budget.

8 TEA VARIABLES: TEMPERATURE, MILK AND SUGAR

8.1 Temperature

The viscosity of water falls substantially as temperature rises, while surface tension also changes. In the Lucas-Washburn framework the lower viscosity tends to increase capillary penetration rate. Hot tea can therefore wet the biscuit faster than cooler liquid during the same nominal dwell time.

The practical lesson is modest but important: 'two seconds' is not a universal exposure dose. Two seconds in very hot tea is not mechanically identical to two seconds in a neglected mug discovered beside the printer.




Figure 8.1 - Illustrative effect of temperature on two-second uptake, using water-viscosity scaling to show the expected direction of change.

8.2 Milk and sugar

Adding sugar increases dissolved-solids concentration and can increase viscosity slightly; milk introduces proteins, fats and additional dissolved material. In a household-strength beverage these effects are small compared with the dominant influences of dwell time, temperature, pore geometry and biscuit moisture. The College therefore declines to claim that putting milk in first provides structural protection.

The order of milk addition is consequently outside the scope of this thesis. Several members of the Senior Common Room attempted to introduce amendments on the subject. They were ruled theological rather than engineering.

9 FAILURE CLASSIFICATION AND THE OPTIMAL DUNKING ENVELOPE

9.1 Combining immersion and transfer

A useful operational model must combine the damage accumulated during immersion with the further loss of margin during transfer. The resulting two-dimensional space is shown in Figure 9.1. Shorter dwell times permit more relaxed transfer; longer dwell times demand increasingly prompt consumption.

The greenest region of the diagram should not be interpreted as compulsory under-dunking. Engineering optimisation requires enough liquid uptake to achieve the purpose of the operation. A perfectly dry Rich Tea has excellent structural integrity but has not, in any meaningful sense, been dunked.

The Optimal Dunking Envelope is therefore a compromise between sensory wetting and mechanical survival. For the illustrative model, a dwell around 1-2 s followed by prompt transfer provides a large practical margin. Beyond about 3 s, success becomes increasingly dependent on geometry, grip position and divine favour.




Figure 9.1 - The Optimal Dunking Envelope. The model is illustrative; local biscuit conditions and operator technique vary.

Recommended rule of thumb. One controlled dunk: routine. Two: acceptable with awareness. Three: engineering judgement. Four: the paperwork should already have started.

10 PROCUREMENT AND COMPARATIVE BISCUIT NOTES

10.1 Is Rich Tea defective?

No. A Rich Tea biscuit is optimised for cost, crispness, flavour, storage and eating qualities, not indefinite immersion as a load-bearing member. Criticising it for losing strength after prolonged saturation is comparable to criticising blotting paper for becoming wet. The relevant question is whether users understand the operating envelope.

For institutions requiring longer dwell times, the appropriate response may be a different biscuit architecture rather than a thicker procedure manual. Digestives, oat biscuits and certain chocolate-coated products can offer greater structural reserve, although direct comparison requires control of geometry, composition and coating. A Hobnob, in particular, is less a biscuit than a small aggregate-reinforced retaining wall. The College proposes a separate programme once a suitable 5 kN test frame can be found.

Procurement decisions should therefore consider the intended dunking culture. A meeting room populated by cautious one-second operators may be adequately served by Rich Tea. A night shift of repeat dunkers should perhaps be issued something with reinforcement.

10.2 Standards implications

There is no recognised British Standard for the safe repeated dunking of Rich Tea biscuits. The College considers this an omission but acknowledges that standards bodies have many competing priorities. Pending formal guidance, the present thesis recommends local operating instructions, especially in high-consequence environments such as carpeted boardrooms.

Any future standard should specify beverage temperature, immersion depth, dwell time, grip geometry and maximum transfer delay. It should also define whether the final biscuit fragment may legally be eaten with a spoon. That issue was referred to Governance and has not returned.

11 CONCLUSIONS

1. The Rich Tea biscuit behaves as a porous, moisture-sensitive brittle food structure. Capillary infiltration begins rapidly and can be described qualitatively by Lucas-Washburn scaling at early times.
2. Published biscuit-mechanics literature supports the central physical premise: increasing moisture reduces bending stiffness and failure stress in semi-sweet biscuits.
3. Repeated dunking is cumulative damage. A successful previous dunk is not a certificate for the next one.
4. The cup-to-mouth transfer phase remains structurally important because liquid redistributes and gravity continues to act after withdrawal.
5. Hotter tea tends to accelerate infiltration because of reduced liquid viscosity. Milk and sugar are second-order effects at ordinary household concentrations compared with time, temperature and biscuit structure.
6. A practical Optimal Dunking Envelope exists. For a Rich Tea, short controlled exposure followed by prompt transfer offers the best combination of wetting and structural survival.
7. The most significant uncontrolled variable remains the operator. Confidence typically rises faster than residual strength.

Final College recommendation. Rich Tea biscuits should not normally exceed two controlled immersions without engineering justification. A third dunk remains permissible at the operator's own risk and should not be attempted while wearing a white shirt.

The Rich Tea is therefore not structurally inadequate. It is a light, economical structure repeatedly asked by the British public to perform offshore duties for which it was never certified.

REFERENCES

- [1] Fisher, L. (1999). 'Physics takes the biscuit'. Nature, 397, 469. DOI: 10.1038/17203.
- [2] Washburn, E. W. (1921). 'The Dynamics of Capillary Flow'. Physical Review, 17, 273-283.
- [3] Saleem, Q. et al. (2005). 'Mechanical and fracture properties for predicting cracking in semi-sweet biscuits'. International Journal of Food Science & Technology, 40. DOI: 10.1111/j.1365-2621.2004.00920.x.
- [4] Saleem, Q. et al. (2005). 'Material properties of semi-sweet biscuits for finite element modelling of biscuit cracking'. Journal of Food Engineering, 68. Moisture diffusion and three-point bending study.
- [5] Tesco Stores Ltd. Product information for McVitie's Rich Tea: ingredients and typical 8.3 g biscuit mass, accessed 2026.
- [6] Fisher, L. 'The art and science of dunking'. Retrospective account describing use of Washburn-type capillary reasoning in biscuit dunking research.
- [7] King Ethelred's College Laboratory Notebook KEC-MAT-RT-26-04. Fictional synthetic test series used for the present parody; not an empirical source.

Note: where external publications are cited, the thesis distinguishes those established findings from the fictional College data. The Bursar insisted on this after the Department of Metrology attempted to expense three packets of biscuits as "calibration artefacts".

APPENDIX A - SAMPLE CALCULATIONS

A.1 Dunk Survivability Ratio

For a specimen with dry failure load $F_{\text{dry}} = 14.0 \text{ N}$ and wet failure load $F_{\text{wet}} = 6.3 \text{ N}$:

$$D_s = F_{\text{wet}} / F_{\text{dry}} = 6.3 / 14.0 = 0.45.$$

Under the College classification this specimen remains transferable, but the operator should cease experimenting and eat it.

A.2 Lucas-Washburn sensitivity

Because penetration distance varies approximately with $\sqrt{t / \mu}$, halving the liquid viscosity increases idealised penetration distance over the same time by about $\sqrt{2}$, all else equal. Real biscuits deviate from the ideal capillary model, but the direction is useful: hotter, less viscous tea generally infiltrates faster.

APPENDIX B - OPERATOR CARD

Observed condition	Action
Dry biscuit	Proceed to first dunk
Minor darkening only	Transfer promptly
Soft edge / sag	Consume immediately; no further dunk
Visible crack	Abort transfer flourish
Fragment in tea	Initiate Spoon Recovery Operation
White shirt present	Reduce ambition by one dunk

Approved by the College Tea-Room Materials Committee, subject to the usual disclaimer that common sense remains the responsibility of the operator.

APPENDIX C - FUTURE WORK

A full experimental campaign should measure liquid uptake gravimetrically at sub-second intervals and correlate moisture fields with three-point bending failure loads. X-ray microtomography could quantify pore connectivity, although the College recognises that explaining the beamtime request may be challenging.

A comparative programme should include Digestive, Hobnob, Nice, Custard Cream and chocolate-coated biscuits. The chocolate coating introduces a useful barrier layer and an equally useful argument about orientation. Sandwich biscuits require separate interface mechanics.


Custard Cream testing has been deferred pending a ruling on whether the cream layer functions as filling, adhesive or structural core. The Ethics Committee has requested that nobody use the phrase 'biscuit sandwich panel' in another funding application.

Finally, the interaction between tea strength and operator decision-making deserves study. Preliminary observation suggests that very strong tea improves vigilance for approximately ten minutes and then leads directly to another cup.

APPENDIX D - DEPARTMENTAL NOTE

The Department of Materials Engineering, Beverage Dynamics and Applied Crumb Mechanics traces its administrative lineage to the College's early Crown Works responsibilities, in which food preservation, field stores, kettles, fortifications and the load-bearing suitability of whatever was available were frequently the same problem. Modern biscuit mechanics is therefore considered a legitimate continuation of the founding mandate.

The College records that the present work required no defence expenditure, no overseas deployment and only one emergency teaspoon. By departmental standards this represents an unusually efficient research programme.



Persevera Etelred